ROOM DESIGNATION - REFER TO ROOM FINISH SCHEDULE SHEET A4.2.1

PORTABLE FIRE EXTINGUISHER - REFER TO SECTION 10 44 16 F.E. OF THE SPECIFICATION


WINDOW DESIGNATION - REFER TO SHEET A-7 FOR TYPES & DETAILS

DOOR DESIGNATION SEE DOOR SCHEDULE A4.3.1

## WALL TYPES:

EXTERIOR WALL: BRICK VENEER (MATCH EXISTING) OVER BUILDING WRAP OVER 7/16" OSB SHEATHING OVER 2 x 6 WOOD STUDS @ 16" O.C. (T.O.P.= 12'-0" A.F.F.) WITH 5/8" INTERIOR GYPSUM BOARD FINISH. FILL STUD CAVITY WITH CELLULOSE INSULATION (R-21).

> EXTERIOR WALL: EXISTING COMPOSITE BRICK OVER OSB OVER 2 x 4 WOOD STUD WALL TO REMAIN. REPLACE EXISTING INTERIOR FACE GYPSUM BOARD. EXISTING FIBERGLASS INSULATION TO REMAIN.




INTERIOR WALL: (OFFICE AREA)- 5/8" GYPSUM BOARD (PAINT) OVER 1/2" RESILIENT SOUND CHANNELS OVER EXISTING 2 x 4 WOOD STUDS. 5/8" GYPSUM BOARD FINISH OPPOSITE SIDE. FILL CAVITIES WITH 3" SOUND ATTENUATION INSULATION. EXTEND GYPSUM BOARD 3" ABOVE FINISH CEILING.

INTERIOR WALL: 5/8" TYPE X FIRECODE GYPSUM BOARD

GYPSUM BOARD AND STUDS TIGHT TO UNDERSIDE OF

ROOF TRUSSES. 1 HOUR FIRE RATED WALL PARTITION -

EACH SIDE OF 2 x 4 WOOD STUDS SPACED 24" O.C. EXTEND




INTERIOR WALL: (OFFICE AREA)- 5/8" GYPSUM BOARD (PAINT) OVER 1/2" RESILIENT SOUND CHANNELS OVER 2 x 4 WOOD STUDS SPACED AT 24" O.C. WITH 5/8" GYPSUM BOARD FINISH OPPOSITE SIDE. FILL CAVITIES WITH 3" SOUND ATTENUATION INSULATION. EXTEND WALL UP 3"


U.L. DESIGN U314.

ABOVE FINISH CEILING.

INTERIOR WALL: 5/8" GYPSUM BOARD FINISH EACH SIDE OF 2 x 4 WOOD STUDS. EXTEND WALL UP 3" ABOVE FINISH CEILING.



INTERIOR WALL: EXISTING 2 x 4 WOOD STUD WALL, SHEATHING AND INSULATION TO REMAIN. ADD 2 x 4 WOOD STUDS @ 24" O.C.TO UNDERSIDE OF TRUSSES TO REPLACE BRICK VENEER. INSTALL 5/8" TYPE X GYPSUM BOARD TO EACH FACE OF WALL TO ACHIVE 1 HOUR FIRE RATED ASSEMBLY - U.L. DESIGN U314.



INTERIOR WALL: EXISTING BRICK VENEER & 2 x 4 WOOD STUD WALL TO REMAIN. PATCH, REPAIR, AND FINISH EXISTING INTERIOR FACE PER ROOM FINISH SCHEDULE. 5/8" GYPSUM BOARD OVER 2 x 2 WOOD FURRING TO BE INSTALLED OVER BRICK FACE.

INTERIOR WALL: EXISTING WALL FINISH TO REMAIN IN RESTROOMS (PAINT). NEW GYPSUM BOARD FINISH OVER EXISTING STAGGERED 2 x 4 WOOD STUD FRAMING WITH 3-1/2" EXISTING FIBERGLASS INSULATION TO REMAIN.

## **GENERAL NOTES**

- 1. EXTERIOR BUILDING DIMENSIONS ARE MEASURED FROM OUTSIDE FACE OF BRICK (EXCLUDING 1" QUOINS) UNLESS NOTED
- 2. ALL INTERIOR DOORS NOT DIMENSIONED SHALL BE SET 4" AWAY FROM ADJACENT WALL.
- REFER TO ROOM FINISH SCHEDULE SECTION ON SHEET A-7 FOR
- 4. REFER TO DOOR SCHEDULE ON SHEET A-7 FOR ALL DOOR AND FRAME REQUIREMENTS.
- 5. ALL INTERIOR DIMENSIONS ARE INSIDE CLEAR. REFER TO THE WALL TYPE SCHEDULE ON THIS SHEET.
- 6. F.E. = SURFACE MOUNTED FIRE EXTINGUISHER, R.F.E. = RECESSES FIRE EXTINGUISHER.
- 7. REFER TO SHEET A-7 FOR WINDOW SCHEDULE.

ALL INTERIOR FINISH REQUIREMENTS.

## PLAN REFERENCED NOTES:

RAMP - UP 6 1/2"

STEP - UP 6 1/2"

MECHANICAL EQUIPMENT. REFER TO THE MECHANICAL DRAWINGS.


ELECTRICAL EQUIPMENT. REFER TO THE ELECTRICAL DRAWINGS. POURED CONCRETE SLAB FOR MECHANICAL EQUIPMENT. COORDINATE EXACT SIZE & LOCATION WITH MECH. CONTRACTOR.

4" PEASTONE BORDER OVER WEED BARRIER AROUND PAD.

72" x 74" RECESSED FLOOR MAT. (SECTION 124813)

RECESSED NIGHT DEPOSIT BOX

WOOD HANDRAIL - STAIN AND VARNISH





ARCHITECTURE ENGINEERING LANDSCAPE ARCHITECTURE SURVEYING



BIDDING REVISED